

OELSCHLÄGER METALLTECHNIK

# FREE.STAND 9051

---



Product:  
FREE.STAND 9051

Oelschläger **Metaltechnik** GmbH  
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0  
E-Mail: [info@oelschlaeger.de](mailto:info@oelschlaeger.de)

**OMIT**  
[www.oelschlaeger.de](http://www.oelschlaeger.de)

FREE.STAND 9051

# Description

---

FREE.STAND is an outstanding product in two senses. Starting from a starting height of 650 mm, a further 660 mm of lifting distance can be bridged easily and conveniently at the push of a button. Single and double telescopic - FREE.STAND adapts to your individual ergonomic needs.

And that's not all: The profile cross-section of FREE.STAND is also freely selectable. With the same technical values, we offer our built-in column system variants with round tube, square as well as rectangular profiles. With an identical top frame system, the various built-in column systems can be easily interchanged.

Would you like to learn more about OMT product development?  
Call us or send us an e-mail.



Product:  
FREE.STAND 9051

Oelschläger **Metalltechnik** GmbH  
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0  
E-Mail: [info@oelschlaeger.de](mailto:info@oelschlaeger.de)

**OMIT**

# Technical data



**Table frame dimensions:**

Depth: 600 - 1100 mm  
Wide: 800 mm - 2400 mm



**Table frame load:**

100 kg



**Stroke:**

660 mm



**Power consumption:**

On operation: 118 W  
On standby: < 0,3 W



**Speed:**

50 mm/s



**Noise level:**

≤ 42 dB



**Frame color:**

RAL 7016 - Anthracite gray  
RAL 9002 - Gray white  
RAL 9003 - Signal white  
RAL 9004 - Signal black  
RAL 9006 - White aluminum



**Safety shutdown:**

SCC inside (Safety Collision Control)  
OMT STAND.GUARD G1 Sensor retrofittable



**Column dimensions round (RO):**

Ø 70 / 65 / 60 mm BUP  
Ø 75 / 70 / 65 mm BUP  
Ø 60 / 65 / 70 mm USD  
Ø 65 / 70 / 75 mm USD



**Column dimensions square (SQ):**

70 / 65 / 60 mm BUP  
75 / 70 / 65 mm BUP  
60 / 65 / 70 mm USD  
65 / 70 / 75 mm USD



**Column dimensions rectangular (RE):**

90x60 / 85x55 / 80x50 mm BUP  
95x65 / 90x60 / 85x55 mm BUP  
80x50 / 85x55 / 90x60 mm USD



**Installation lengths:**

555 mm  
575 mm



Oeschläger **Metalltechnik** GmbH  
Hertzstraße 1-3  
27318 Hoya  
Germany

---

Phone: +49 (0) 42 51-816-0  
Mail: [info@oeschlaeger.de](mailto:info@oeschlaeger.de)  
Web: [www.oeschlaeger.de](http://www.oeschlaeger.de)

CEO:  
Daniela Hoge  
Harald Grams

Commercial Register:  
Walsrode HRB 31030 Court  
of jurisdiction: Hoya VAT ID  
No.: DE 183195508