

OELSCHLÄGER METALLTECHNIK

# FREE.STAND 9051 BENCH

---



Product:  
FREE.STAND 9051 Bench

Oelschläger **Metaltechnik** GmbH  
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0  
E-Mail: [info@oelschlaeger.de](mailto:info@oelschlaeger.de)

**O|MIT**  
[www.oelschlaeger.de](http://www.oelschlaeger.de)

FREE.STAND 9051 BENCH

# Description

**BENCH - this is the double workstation from OMT.**

With this variant, the user has the option to adjust the work surfaces independently of each other. As with all OMT solutions for ergonomic workstations, a variety of STAND.LEG and drives from the FREE.STAND 9051 are available to implement the function.

## Individual and expandable on request:

Interchangeable side decors in combination with the profile variants of our telescopic series offer exceptional scope for design.

Pressed polyester fleece offers a new way of separating workplaces. The high-quality and customizable material in various surface and fabric coverings serves to dampen noise in open-plan offices and also offers a design component.

Would you like to learn more about OMT product development? Call us or send us an us an e-mail.



Round, Square, Rectangular



In all tube pairings  
**RE90, SQ70 and R070** mm  
available.



Product:  
FREE.STAND 9051 Bench

Oelschläger **Metaltechnik** GmbH  
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0  
E-Mail: [info@oelschlaeger.de](mailto:info@oelschlaeger.de)



Round, Square, Rectangular



In all tube pairings  
**RE90, SQ70 and R070 mm**  
available.



Product:  
FREE.STAND 9051 Bench

Oelschläger **Metaltechnik** GmbH  
Hertzstraße 1-3 | D - 27318 Hoya

Phone: +49 (0) 4251-816-0  
E-Mail: [info@oelschlaeger.de](mailto:info@oelschlaeger.de)

**O|MIT**



Round, Square, Rectangular



In all tube pairings  
**RE90, SQ70 and R070 mm**  
available.

# Technical data

**Table frame dimensions:**

Depth: 600 - 1100 mm  
Wide: 800 - 2400 mm

**Table frame load:**

100 kg/Table

**Stroke:**

660 mm

**Power consumption/Desk:**

On operation: 118 W  
On standby: < 0,3 W

**Speed:**

50 mm/s

**Noise level:**

≤ 42 dB

**Frame color:**

RAL 7016 - Anthracite gray  
RAL 9002 - Gray white  
RAL 9003 - Signal white  
RAL 9004 - Signal black  
RAL 9006 - White aluminum

**Safety shutdown:**

SCC inside (Safety Collision Control)  
OMT STAND.GUARD G1 Sensor retrofittable

**Column dimensions round (RO):**

Ø 70 / 65 / 60 mm BUP  
Ø 75 / 70 / 65 mm COVER BUP

**Column dimensions square (SQ):**

70 / 65 / 60 mm BUP  
75 / 70 / 65 mm COVER BUP

**Column dimensions rectangular (RE):**

90 / 85 / 80 mm BUP  
95 / 90 / 85 mm COVER BUP

**Installation lengths:**

650 - 1310 mm



Oeschläger **Metalltechnik** GmbH  
Hertzstraße 1-3  
27318 Hoya  
Germany

---

Phone: +49 (0) 42 51-816-0  
Mail: [info@oeschlaeger.de](mailto:info@oeschlaeger.de)  
Web: [www.oeschlaeger.de](http://www.oeschlaeger.de)

CEO:  
Daniela Hoge  
Harald Grams

Commercial Register:  
Walsrode HRB 31030  
Court of jurisdiction: Hoya  
VAT ID No.: DE 183195508